

# ITPassLeader



Pass Your Next Certification Exam Fast!

Select a vendor... Select an test... Your email address [Free Download Demo](#)



Instant Download



365 Days Free Updates



Money Back Guarantee



Security & Privacy

Choose the version that fits your needs

PDF Version

Desktop Test Engine

Online Test Engine

Latest and Up-to-Date exam dumps with real exam questions answers.



Get 12-Months free updates without any extra charges.



Experience same exam environment before appearing in the certification exam.



100% exam passing guarantee in the first attempt.



20% discount on more than one license and 30% discount on 5+ license purchases.



100% secure purchase on SSL.



Completely private purchase without sharing your personal info with anyone.



<http://www.itpassleader.com>

High-praise Exam Dumps Questions grant you success by high pass rate - ITPassLeader

**Exam** : **3100**

**Title** : Avaya Aura Communication  
Manager Administration Exam

**Vendor** : Avaya

**Version** : DEMO

NO.1 The Avaya Extension to Cellular feature provides users with the capability to have one administered telephone that supports communication manager features for both an office telephone and one outside cellular or wireless telephone, two fields must be set to "Yes" in order to use this functionality:

Enhanced EC500 and extended Cvg/Fwd Admin.

Which command do you use to verify the field settings?

- A. System-parameters features
- B. System-parameters customer-options
- C. System-parameters wireless
- D. System-parameters converge-forwarding

**Answer:** B

NO.2 Which users does Call Park best serve?

- A. Users who need to retrieve calls from any extension in the system
- B. Users who travel domestically using smartphones for basic communication
- C. Users who travel Internationally using smartphones for basic communication
- D. Users who need to pick up calls from their smartphones while traveling

**Answer:** A

Reference:[https://downloads.avaya.com/elmodocs2/avayaip/users/definity/def4624/6d\\_park.htm](https://downloads.avaya.com/elmodocs2/avayaip/users/definity/def4624/6d_park.htm)

NO.3 You must add 500 new stations with a four digit length, starting with station 4500.

What information must you populate in the dial plan analysis form?

- A. Dialed String = 4; Total Length =4; Call type = sta
- B. Dialed String = 45; Total Length =4; Call type = ext
- C. Dialed String = 4; Total Length =4; Call type = ext
- D. Dialed String = 45; Total Length =4; Call type = sta

**Answer:** C

NO.4 Which two features are ports of COS? (Choose two.)

- A. Data Privacy
- B. Bridged Call Appearance
- C. ISDN-PRI
- D. Console Permissions

**Answer:** B,C

NO.5 You need to configure a station so that when a department manager makes calls to employees the manager's calls will ring even though the called station might have Sent All Calls activated. Although the manager's station can be designated as a VIP telephone, the manger must be able to selectively activate this feature.


Which feature addresses this need?

- A. Button activated Executive Calling
- B. FAC or button activated Automatic Inclusion
- C. FAC or button activated Priority Calling

D. Button activated Send All Calls override

**Answer: C**

NO.6



Consider the settings shown in exhibit displayed by using the display route - pattern command. You must deny calls from users in COR 10 to use route pattern 1. What should the fault restriction level (FRL) for COR 10 be?

- A. 2
- B. 3
- C. 4
- D. 5
- E. 6

**Answer: A**

NO.7 You must verify in a production system that the number of rings between each point for coverage paths is two rings. You access the system-parameters coverage-forwarding from and check that the value for the local coverage Subsequent Redirection/ CFWD No Answer interval field is set to 2. Which users will be affected by this setting?

- A. users belonging to a specific COR
- B. users belonging to a specific COS
- C. users belonging to a specific COS-group
- D. all users in the system

**Answer: D**

NO.8 When adding an extension, you must conform to which form In Communication Manager?

- A. COR
- B. COS
- C. Dial Plan
- D. FAC

**Answer: A**

NO.9 For which purpose is Automatic Alternate Routing (AAR) used?

- A. Calls placed within a company over a public network
- B. Calls placed within a company over a private network
- C. Calls placed from outside a company over a private network
- D. Calls placed from outside a company over a public network

**Answer:** B

NO.10 Which two Statements are true about Automatic Route Selection (ARS)? (Choose two)

- A. ARS routes calls only across tie trunks to local switching equipment.
- B. ARS routes calls to remote company locations in the absence of a private network.
- C. ARS allows Communication Manager to use an ISDN trunk to connect to the PSTN.
- D. ARS mutes calls across all trunk types but only to remote switching equipment

**Answer:** A,C

NO.11 You are adding five new digital stations in a branch office where there is a G450 media Gateway.

On which media Module do you look for available ports?

- A. MM717
- B. MM711
- C. MM712
- D. MM714

**Answer:** C

NO.12 Which Call Pickup Group allows the administrator the ability to combine different Pickup Groups?

- A. Directed Call Pickup
- B. Pickup Group
- C. Expanded Pickup Group
- D. Extended Pickup Group

**Answer:** D